

## 2023 AIME I

Try this exam as a timed Mock Exam on the ZIML Practice Page (click here)

View answers and concepts tested in our 2023 AIME I Blog Post (click here)

The problems in the AMC-Series Contests are copyrighted by American Mathematics Competitions at Mathematical Association of America (www.maa.org).



Question 1	Five men and nine women stand equally spaced around a circle in random order. The $m$
Not yet answered	probability that every man stands diametrically opposite a woman is $\displaystyle rac{m}{n},$ where $m$ and $n$
Points out of 1	are relatively prime positive integers. Find $m+n$ .
	Answer:
Question 2	Positive real numbers $b eq 1$ and $n$ satisfy the equations
	$r$ oslive real numbers $v \neq r$ and $n$ satisfy the equations
Not yet answered Points out of 1	$\sqrt{\log_b n} = \log_b \sqrt{n} \qquad  ext{and} \qquad b \cdot \log_b n = \log_b (bn).$
	The value of $n$ is $\displaystyle rac{j}{k},$ where $j$ and $k$ are relatively prime positive integers. Find $j+k$ .
	Answer:
<b>Question 3</b> Not yet answered Points out of 1	A plane contains 40 lines, no 2 of which are parallel. Suppose that there are 3 points where exactly 3 lines intersect, 4 points where exactly 4 lines intersect, 5 points where exactly 5 lines intersect, 6 points where exactly 6 lines intersect, and no points where more than 6 lines intersect. Find the number of points where exactly 2 lines intersect.
Question <b>4</b>	The sum of all positive integers $m$ such that $rac{13!}{m}$ is a perfect square can be written as
Not yet answered	m
Points out of 1	$2^a 3^b 5^c 7^d 11^e 13^f$ , where $a, b, c, d$ , $e$ , and $f$ are positive integers. Find $a+b+c+d+e+f$ .
	Answer:
Question 5	Let $P$ be a point on the circle circumscribing square $ABCD$ that satisfies $PA \cdot PC = 56$
Not yet answered	and $PB \cdot PD = 90$ . Find the area of $ABCD$ .
Points out of 1	Answer:

Question <b>6</b> Not yet answered Points out of 1	Alice knows that 3 red cards and 3 black cards will be revealed to her one at a time in random order. Before each card is revealed, Alice must guess its color. If Alice plays optimally, the expected number of cards she will guess correctly is $\frac{m}{n}$ , where $m$ and $n$ are relatively prime positive integers. Find $m + n$ .
<b>Question 7</b> Not yet answered Points out of 1	Call a positive integer $n$ extra-distinct if the remainders when $n$ is divided by 2, 3, 4, 5, and 6 are distinct. Find the number of extra-distinct positive integers less than 1000. Answer:
Question 8 Not yet answered Points out of 1	Rhombus $ABCD$ has $\angle BAD < 90^{\circ}$ . There is a point $P$ on the incircle of the rhombus such that the distances from $P$ to the lines $DA$ , $AB$ , and $BC$ are 9, 5, and 16, respectively. Find the perimeter of $ABCD$ .
Question 9 Not yet answered Points out of 1	Find the number of cubic polynomials $p(x) = x^3 + ax^2 + bx + c$ , where $a, b$ , and $c$ are integers in $\{-20, -19, -18, \dots, 18, 19, 20\}$ , such that there is a unique integer $m \neq 2$ with $p(m) = p(2)$ .
Question <b>10</b> Not yet answered Points out of 1	There exists a unique positive integer $a$ for which the sum $U = \sum_{n=1}^{2023} \left\lfloor \frac{n^2 - na}{5} \right\rfloor$ is an integer strictly between $-1000$ and $1000$ . For that unique $a$ , find $a + U$ . (Note that $\lfloor x \rfloor$ denotes the greatest integer that is less than or equal to $x$ .) Answer:

Question <b>11</b> Not yet answered Points out of 1	Find the number of subsets of $\{1, 2, 3,, 10\}$ that contain exactly one pair of consecutive integers. Examples of such subsets are $\{1, 2, 5\}$ and $\{1, 3, 6, 7, 10\}$ . Answer:
Question 12 Not yet answered Points out of 1	Let $\triangle ABC$ be an equilateral triangle with side length 55. Points $D$ , $E$ , and $F$ lie on $\overline{BC}$ , $\overline{CA}$ , and $\overline{AB}$ , respectively, with $BD = 7$ , $CE = 30$ , and $AF = 40$ . Point $P$ inside $\triangle ABC$ has the property that $\angle AEP = \angle BFP = \angle CDP$ . Find $\tan^2(\angle AEP)$ .
Question 13 Not yet answered Points out of 1	Each face of two noncongruent parallelepipeds is a rhombus whose diagonals have lengths $\sqrt{21}$ and $\sqrt{31}$ . The ratio of the volume of the larger of the two polyhedra to the volume of the smaller is $\frac{m}{n}$ , where $m$ and $n$ are relatively prime positive integers. Find $m + n$ . A parallelepiped is a solid with six parallelogram faces such as the one shown below.

Question 14 The following analog clock has two hands that can move independently of each other. Not yet answered Points out of 1 2 Initially, both hands point to the number 12. The clock performs a sequence of hand movements so that on each movement, one of the two hands moves clockwise to the next number on the clock face while the other hand does not move. Let N be the number of sequences of 144 hand movements such that during the sequence, every possible positioning of the hands appears exactly once, and at the end of the 144movements, the hands have returned to their initial position. Find the remainder when N is divided by 1000. Answer: Question 15 Find the largest prime number p < 1000 for which there exists a complex number zsatisfying: Not yet answered - the real and imaginary part of z are both integers, Points out of 1 -  $|z| = \sqrt{p}$ , and - there exists a triangle whose three side lengths are p, the real part of  $z^3$ , and the imaginary part of  $z^3$ . the real and imaginary part of z are both integers,  $|z|=\sqrt{p},$  and there exists a triangle whose three side lengths are p, the real part of  $z^3$ , and the imaginary part of  $z^3$ . Answer: