

2024 AIME II

Try this exam as a timed Mock Exam on the ZIML Practice Page (click here)

The problems in the AMC-Series Contests are copyrighted by American Mathematics Competitions at Mathematical Association of America (www.maa.org).



Question 1 Not yet answered Points out of 1	Among the 900 residents of Aimeville, there are 195 who own a diamond ring, 367 who own a set of golf clubs, and 562 who own a garden spade. In addition, each of the 900 residents owns a bag of candy hearts. There are 437 residents who own exactly two of these things, and 234 residents who own exactly three of these things. Find the number of residents of Aimeville who own all four of these things.
Question 2 Not yet answered Points out of 1	 A list of positive integers has the following properties: The sum of the items in the list is 30. The unique mode of the list is 9. The median of the list is a positive integer that does not appear in the list itself. Find the sum of the squares of all the items in the list.
Question 3 Not yet answered Points out of 1	Find the number of ways to place a digit in each cell of a 2x3 grid so that the sum of the two numbers formed by reading left to right is 999, and the sum of the three numbers formed by reading top to bottom is 99. The grid below is an example of such an arrangement because $8 + 991 = 999$ and $9 + 9 + 81 = 99$. $\boxed{0 \ 0 \ 8}{9 \ 9 \ 1}$ Answer:

Question 4 Not yet answered Points out of 1	Let x, y and z be positive real numbers that satisfy the following system of equations: $\log_2\left(\frac{x}{yz}\right) = \frac{1}{2}$ $\log_2\left(\frac{y}{xz}\right) = \frac{1}{3}$ $\log_2\left(\frac{z}{xy}\right) = \frac{1}{4}$ Then the value of $\left \log_2(x^4y^3z^2)\right $ is $\frac{m}{n}$ where m and n are relatively prime positive integers. Find $m + n$.
	Answer:
Question 5 Not yet answered Points out of 1	Let $ABCDEF$ be a convex equilateral hexagon in which all pairs of opposite sides are parallel. The triangle whose sides are extensions of segments \overline{AB} , \overline{CD} , and \overline{EF} has side lengths 200, 240, and 300. Find the side length of the hexagon.
	Answer:
Question 6 Not yet answered Points out of 1	Alice chooses a set A of positive integers. Then Bob lists all finite nonempty sets B of positive integers with the property that the maximum element of B belongs to A . Bob's list has 2024 sets. Find the sum of the elements of A . Answer:
Question 7 Not yet answered Points out of 1	Let N be the greatest four-digit positive integer with the property that whenever one of its digits is changed to 1, the resulting number is divisible by 7. Let Q and R be the quotient and remainder, respectively, when N is divided by 1000. Find $Q + R$.
	Answer:

Question 8 Not yet answered Points out of 1	Torus T is the surface produced by revolving a circle with radius 3 around an axis in the plane of the circle that is a distance 6 from the center of the circle (so like a donut shown below). Let S be a sphere with a radius 11. When T rests on the inside of S , it is internally tangent to S along a circle with radius r_i , and when T rests on the outside of S , it is externally tangent to S along a circle with radius r_o . The difference $r_i - r_o$ can be written as $\frac{m}{n}$, where m and n are relatively prime positive integers. Find $m + n$.
	Answer:
Question 9 Not yet answered Points out of 1	 There is a collection of 25 indistinguishable white chips and 25 indistinguishable black chips. Find the number of ways to place some of these chips in the 25 unit cells of a 5 × 5 grid such that: Every cell contains at most one chip. There can only be one color of chip in any row or column. Any additional chip placed will violate one or more of the previous rules.
Question 10 Not yet answered Points out of 1	Let $\triangle ABC$ have circumcenter O and incenter I with $\overline{IA} \perp \overline{OI}$, circumradius 13, and inradius 6. Find $AB \cdot AC$.
Question 11 Not yet answered Points out of 1	Find the number of triples of nonnegative integers (a,b,c) satisfying $a+b+c=300$ and $a^2b+a^2c+b^2a+b^2c+c^2a+c^2b=6,000,000.$

Question 12 Not yet answered Points out of 1	Let $O = (0, 0)$, $A = (\frac{1}{2}, 0)$, and $B = (0, \frac{\sqrt{3}}{2})$ be points in the coordinate plane. Let \mathcal{F} be the family of segments \overline{PQ} of unit length lying in the first quadrant with P on the x -axis and Q on the y -axis. There is a unique point C on \overline{AB} , distinct from A and B , that does not belong to any segment from \mathcal{F} other than \overline{AB} . Then $OC^2 = \frac{p}{q}$, where p and q are relatively prime positive integers. Find $p + q$.
Question 13 Not yet answered Points out of 1	Let $\omega \neq 1$ be a 13th root of unity. Find the remainder when $\prod_{k=0}^{12} (2-2\omega^k+\omega^{2k})$ is divided by 1000.
Question 14 Not yet answered Points out of 1	Let $b \ge 2$ be an integer. Call a positive integer n b - $eautiful$ if it has exactly two digits when expressed in base b and these two digits sum to \sqrt{n} . For example, 81 is 13 - $eautiful$ because $81 = \underline{6} \ \underline{3}_{13}$ and $6 + 3 = \sqrt{81}$. Find the least integer $b \ge 2$ for which there are more than ten b - $eautiful$ integers. Answer:
Question 15 Not yet answered Points out of 1	Find the number of rectangles that can be formed inside a fixed regular dodecagon (12- gon) where each side of the rectangle lies on either a side or a diagonal of the dodecagon. The diagram below shows three of those rectangles.