



2013 AMC 12B

For more practice and resources, visit ziml.aretteam.org

The problems in the AMC-Series Contests are copyrighted by American Mathematics Competitions at Mathematical Association of America (www.maa.org).



Question 1

Not yet answered

Points out of 6

On a particular January day, the high temperature in Lincoln, Nebraska, was 16 degrees higher than the low temperature, and the average of the high and low temperatures was 3° . In degrees, what was the low temperature in Lincoln that day?

(A) -13 (B) -8 (C) -5 (D) -3 (E) 11

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 2

Not yet answered

Points out of 6

Mr. Green measures his rectangular garden by walking two of the sides and finds that it is 15 steps by 20 steps. Each of Mr. Green's steps is 2 feet long. Mr. Green expects a half a pound of potatoes per square foot from his garden. How many pounds of potatoes does Mr. Green expect from his garden?

(A) 600 (B) 800 (C) 1000 (D) 1200 (E) 1400

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 3

Not yet answered

Points out of 6

When counting from 3 to 201, 53 is the 51st number counted. When counting backwards from 201 to 3, 53 is the n^{th} number counted. What is n ?

(A) 146 (B) 147 (C) 148 (D) 149 (E) 150

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 4

Not yet answered

Points out of 6

Ray's car averages 40 miles per gallon of gasoline, and Tom's car averages 10 miles per gallon of gasoline. Ray and Tom each drive the same number of miles. What is the cars' combined rate of miles per gallon of gasoline?

(A) 10 (B) 16 (C) 25 (D) 30 (E) 40

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 5

Not yet answered

Points out of 6

The average age of 33 fifth-graders is 11. The average age of 55 of their parents is 33. What is the average age of all of these parents and fifth-graders?

(A) 22 (B) 23.25 (C) 24.75 (D) 26.25 (E) 28

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 6

Not yet answered

Points out of 6

Real numbers x and y satisfy the equation $x^2 + y^2 = 10x - 6y - 34$. What is $x + y$?

- (A) 1 (B) 2 (C) 3 (D) 6 (E) 8

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 7

Not yet answered

Points out of 6

Jo and Blair take turns counting from 1 to one more than the last number said by the other person. Jo starts by saying “1”, so Blair follows by saying “1, 2”. Jo then says “1, 2, 3”, and so on. What is the 53rd number said?

- (A) 2 (B) 3 (C) 5 (D) 6 (E) 8

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 8

Not yet answered

Points out of 6

Line l_1 has equation $3x - 2y = 1$ and goes through $A = (-1, -2)$. Line l_2 has equation $y = 1$ and meets line l_1 at point B . Line l_3 has positive slope, goes through point A , and meets l_2 at point C . The area of $\triangle ABC$ is 3. What is the slope of l_3 ?

- (A) $\frac{2}{3}$ (B) $\frac{3}{4}$ (C) 1 (D) $\frac{4}{3}$ (E) $\frac{3}{2}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 9

Not yet answered

Points out of 6

What is the sum of the exponents of the prime factors of the square root of the largest perfect square that divides $12!$?

(A) 5 (B) 7 (C) 8 (D) 10 (E) 12

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 10

Not yet answered

Points out of 6

Alex has 75 red tokens and 75 blue tokens. There is a booth where Alex can give two red tokens and receive in return a silver token and a blue token, and another booth where Alex can give three blue tokens and receive in return a silver token and a red token. Alex continues to exchange tokens until no more exchanges are possible. How many silver tokens will Alex have at the end?

(A) 62 (B) 82 (C) 83 (D) 102 (E) 103

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 11

Not yet answered

Points out of 6

Two bees start at the same spot and fly at the same rate in the following directions. Bee A travels 1 foot north, then 1 foot east, then 1 foot upwards, and then continues to repeat this pattern. Bee B travels 1 foot south, then 1 foot west, and then continues to repeat this pattern. In what directions are the bees traveling when they are exactly 10 feet away from each other?

- (A) A east, B west
- (B) A north, B south
- (C) A north, B west
- (D) A up, B south
- (E) A up, B west

Select one:


- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 12

Not yet answered

Points out of 6

Cities A , B , C , D , and E are connected by roads \widetilde{AB} , \widetilde{AD} , \widetilde{AE} , \widetilde{BC} , \widetilde{BD} , \widetilde{CD} , and \widetilde{DE} .



How many different routes are there from A to B that use each road exactly once? (Such a route will necessarily visit some cities more than once.)

- (A) 7 (B) 9 (C) 12 (D) 16 (E) 18

Select one:

- A
 B
 C
 D
 E
 Leave blank (1.5 points)

Question 13

Not yet answered

Points out of 6

The internal angles of quadrilateral $ABCD$ form an arithmetic progression. Triangles ABD and DCB are similar with $\angle DBA = \angle DCB$ and $\angle ADB = \angle CBD$. Moreover, the angles in each of these two triangles also form an arithmetic progression. In degrees, what is the largest possible sum of the two largest angles of $ABCD$?

- (A) 210 (B) 220 (C) 230 (D) 240 (E) 250

Select one:

- A
 B
 C
 D
 E
 Leave blank (1.5 points)

Question 14

Not yet answered

Points out of 6

Two non-decreasing sequences of nonnegative integers have different first terms. Each sequence has the property that each term beginning with the third is the sum of the previous two terms, and the seventh term of each sequence is N . What is the smallest possible value of N ?

- (A) 55 (B) 89 (C) 104 (D) 144 (E) 273

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 15

Not yet answered

Points out of 6

The number 2013 is expressed in the form $2013 = \frac{a_1!a_2!\dots a_m!}{b_1!b_2!\dots b_n!}$, where $a_1 \geq a_2 \geq \dots \geq a_m$ and $b_1 \geq b_2 \geq \dots \geq b_n$ are positive integers and $a_1 + b_1$ is as small as possible. What is $|a_1 - b_1|$?

- (A) 1 (B) 2 (C) 3 (D) 4 (E) 5

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 16

Not yet answered

Points out of 6

Let $ABCDE$ be an equiangular convex pentagon of perimeter 1. The pairwise intersections of the lines that extend the sides of the pentagon determine a five-pointed star polygon. Let s be the perimeter of this star. What is the difference between the maximum and the minimum possible values of s .

- (A) 0 (B) $\frac{1}{2}$ (C) $\frac{\sqrt{5}-1}{2}$ (D) $\frac{\sqrt{5}+1}{2}$ (E) $\sqrt{5}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 17

Not yet answered

Points out of 6

Let a , b , and c be real numbers such that

$$a + b + c = 2, \text{ and}$$

$$a^2 + b^2 + c^2 = 12$$

What is the difference between the maximum and minimum possible values of c ?

- (A) 2 (B) $\frac{10}{3}$ (C) 4 (D) $\frac{16}{3}$ (E) $\frac{20}{3}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 18

Not yet answered

Points out of 6

Barbara and Jenna play the following game, in which they take turns. A number of coins lie on a table. When it is Barbara's turn, she must remove 2 or 4 coins, unless only one coin remains, in which case she loses her turn. When it is Jenna's turn, she must remove 1 or 3 coins. A coin flip determines who goes first. Whoever removes the last coin wins the game. Assume both players use their best strategy. Who will win when the game starts with 2013 coins and when the game starts with 2014 coins?

- (A) Barbara will win with 2013 coins and Jenna will win with 2014 coins.
(B) Jenna will win with 2013 coins, and whoever goes first will win with 2014 coins.
(C) Barbara will win with 2013 coins, and whoever goes second will win with 2014 coins.
(D) Jenna will win with 2013 coins, and Barbara will win with 2014 coins.
(E) Whoever goes first will win with 2013 coins, and whoever goes second will win with 2014 coins.

Select one:

- A
 B
 C
 D
 E
 Leave blank (1.5 points)

Question 19

Not yet answered

Points out of 6

In triangle ABC , $AB = 13$, $BC = 14$, and $CA = 15$. Distinct points D , E , and F lie on segments \overline{BC} , \overline{CA} , and \overline{DE} , respectively, such that $\overline{AD} \perp \overline{BC}$, $\overline{DE} \perp \overline{AC}$, and $\overline{AF} \perp \overline{BF}$. The length of segment \overline{DF} can be written as $\frac{m}{n}$, where m and n are relatively prime positive integers. What is $m + n$?

- (A) 18 (B) 21 (C) 24 (D) 27 (E) 30

Select one:

- A
 B
 C
 D
 E
 Leave blank (1.5 points)

Question 20

Not yet answered

Points out of 6

For $135^\circ < x < 180^\circ$, points $P = (\cos x, \cos^2 x)$, $Q = (\cot x, \cot^2 x)$, $R = (\sin x, \sin^2 x)$ and $S = (\tan x, \tan^2 x)$ are the vertices of a trapezoid. What is $\sin(2x)$?

- (A) $2 - 2\sqrt{2}$ (B) $3\sqrt{3} - 6$ (C) $3\sqrt{2} - 5$ (D) $-\frac{3}{4}$ (E) $1 - \sqrt{3}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 21

Not yet answered

Points out of 6

Consider the set of 30 parabolas defined as follows: all parabolas have as focus the point $(0,0)$ and the directrix lines have the form $y=ax+b$ with a and b integers such that $a \in \{-2,-1,0,1,2\}$ and $b \in \{-3,-2,-1,1,2,3\}$. No three of these parabolas have a common point. How many points in the plane are on two of these parabolas?

- (A) 720 (B) 760 (C) 810 (D) 840 (E) 870

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

Question 22

Not yet answered

Points out of 6

Let $m > 1$ and $n > 1$ be integers. Suppose that the product of the solutions for x of the equation $8(\log_n x)(\log_m x) - 7\log_n x - 6\log_m x - 2013 = 0$ is the smallest possible integer. What is $m+n$?

(A) 12
 (B) 20
 (C) 24
 (D) 48
 (E) 272

Select one:

- A
 B
 C
 D
 E
 Leave blank (1.5 points)

Question 23

Not yet answered

Points out of 6

Bernardo chooses a three-digit positive integer N and writes both its base-5 and base-6 representations on a blackboard. Later LeRoy sees the two numbers Bernardo has written. Treating the two numbers as base-10 integers, he adds them to obtain an integer SS . For example, if $N = 749$, Bernardo writes the numbers $10,444$ and $3,245$, and LeRoy obtains the sum $SS = 13,689$. For how many choices of N are the two rightmost digits of SS , in order, the same as those of $2N$?

(A) 5
 (B) 10
 (C) 15
 (D) 20
 (E) 25

Select one:

- A
 B
 C
 D
 E
 Leave blank (1.5 points)

Question 24

Not yet answered

Points out of 6

Let ABC be a triangle where M is the midpoint of \overline{AC} , and \overline{CN} is the angle bisector of \angle{ACB} with N on \overline{AB} . Let X be the intersection of the median \overline{BM} and the bisector \overline{CN} . In addition \triangle{BXN} is equilateral with $AC=2$. What is BN^2 ?

$$\textbf{(A)} \ \frac{10-6\sqrt{2}}{7} \quad \textbf{(B)} \ \frac{2}{9} \quad \textbf{(C)} \ \frac{5\sqrt{2}-3\sqrt{3}}{8} \quad \textbf{(D)} \ \frac{\sqrt{2}}{6} \quad \textbf{(E)} \ \frac{3\sqrt{3}-4}{5}$$

Select one:

- A**
 B
 C
 D
 E
 Leave blank (1.5 points)

Question 25

Not yet answered

Points out of 6

Let G be the set of polynomials of the form $[P(z)=z^n+c_{n-1}z^{n-1}+\dots+c_2z^2+c_1z+50,]$ where c_1, c_2, \dots, c_{n-1} are integers and $P(z)$ has distinct roots of the form $a+ib$ with a and b integers. How many polynomials are in G ?

$$\textbf{(A)} \ 288 \quad \textbf{(B)} \ 528 \quad \textbf{(C)} \ 576 \quad \textbf{(D)} \ 992 \quad \textbf{(E)} \ 1056$$

Select one:

- A**
 B
 C
 D
 E
 Leave blank (1.5 points)