



# 2019 AMC 12A

For more practice and resources, visit [ziml.arettem.org](http://ziml.arettem.org)

The problems in the AMC-Series Contests are copyrighted by American Mathematics Competitions at Mathematical Association of America ([www.maa.org](http://www.maa.org)).



**Question 1**

Not yet answered

Points out of 6

The area of a pizza with radius 4 is  $N$  percent larger than the area of a pizza with radius 3 inches. What is the integer closest to  $N$ ?

- (A) 25
- (B) 33
- (C) 44
- (D) 66
- (E) 78

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 2**

Not yet answered

Points out of 6

Suppose  $a$  is 150% of  $b$ . What percent of  $a$  is  $3b$ ?

- (A) 50
- (B) 66
- (C) 150
- (D) 200
- (E) 450

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 3**

Not yet answered

Points out of 6

A box contains 28 red balls, 20 green balls, 19 yellow balls, 13 blue balls, 11 white balls, and 9 black balls. What is the minimum number of balls that must be drawn from the box without replacement to guarantee that at least 15 balls of a single color will be drawn?

(A) 75

(B) 76

(C) 79

(D) 84

(E) 91

Select one:

A

B

C

D

E

Leave blank (1.5 points)

**Question 4**

Not yet answered

Points out of 6

What is the greatest number of consecutive integers whose sum is 45?

(A) 9

(B) 25

(C) 45

(D) 90

(E) 120

Select one:

A

B

C

D

E

Leave blank (1.5 points)

**Question 5**

Not yet answered

Points out of 6

Two lines with slopes  $\frac{1}{2}$  and  $2$  intersect at  $(2, 2)$ . What is the area of the triangle enclosed by these two lines and the line  $x + y = 10$ ?

- (A) 4
- (B)  $4\sqrt{2}$
- (C) 6
- (D) 8
- (E)  $6\sqrt{2}$

Select one:


- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 6**

Not yet answered

Points out of 6

The figure below shows line  $\ell$  with a regular, infinite, recurring pattern of squares and line segments.



How many of the following four kinds of rigid motion transformations of the plane in which this figure is drawn, other than the identity transformation, will transform this figure into itself?

- some rotation around a point of line  $\ell$
- some translation in the direction parallel to line  $\ell$
- the reflection across line  $\ell$
- some reflection across a line perpendicular to line  $\ell$

**(A)** 0**(B)** 1**(C)** 2**(D)** 3**(E)** 4

Select one:

- A**
- B**
- C**
- D**
- E**
- Leave blank (1.5 points)**

**Question 7**

Not yet answered

Points out of 6

Melanie computes the mean  $\mu$ , the median  $M$ , and the modes of the 365 values that are the dates in the months of 2019. Thus her data consists of 12 1s, 12 2s, ..., 12 28s, 11 29s, 11 30s, and 7 31s. Let  $d$  be the median of the modes. Which of the following statements is true?

- (A)  $\mu < d < M$
- (B)  $M < d < \mu$
- (C)  $d = M = \mu$
- (D)  $d < M < \mu$
- (E)  $d < \mu < M$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 8**

Not yet answered

Points out of 6

For a set of four distinct lines in a plane, there are exactly  $N$  distinct points that lie on two or more of the lines. What is the sum of all possible values of  $N$ ?

- (A) 14
- (B) 16
- (C) 18
- (D) 19
- (E) 21

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 9**

Not yet answered

Points out of 6

A sequence of numbers is defined recursively by  $a_1 = 1$ ,  $a_2 = \frac{3}{7}$ , and

$$a_n = \frac{a_{n-2} \cdot a_{n-1}}{2a_{n-2} - a_{n-1}}$$

for all  $n \geq 3$ . Then  $a_{2019}$  can be written as  $\frac{p}{q}$ , where  $p$  and  $q$  are relatively prime positive integers. What is  $p + q$ ?

- (A) 2020
- (B) 4039
- (C) 6057
- (D) 6061
- (E) 8078

Select one:


- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 10**

Not yet answered

Points out of 6

The figure below shows 13 circles of radius 1 within a larger circle. All the intersections occur at points of tangency. What is the area of the region, shaded in the figure, inside the larger circle but outside all the circles of radius 1?



- (A)  $4\pi\sqrt{3}$   
(B)  $7\pi$   
(C)  $\pi(3\sqrt{3} + 2)$   
(D)  $10\pi(\sqrt{3} - 1)$   
(E)  $\pi(\sqrt{3} + 6)$

Select one:

- A  
 B  
 C  
 D  
 E  
 Leave blank (1.5 points)



**Question 11**

Not yet answered

Points out of 6

For some positive integer  $k$ , the repeating base- $k$  representation of the (base-ten) fraction  $\frac{7}{51}$  is  $0.\overline{23}_k = 0.232323\dots_k$ . What is  $k$ ?

- (A) 13
- (B) 14
- (C) 15
- (D) 16
- (E) 17

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 12**

Not yet answered

Points out of 6

Positive real numbers  $x \neq 1$  and  $y \neq 1$  satisfy  $\log_2 x = \log_y 16$  and  $xy = 64$ . What is  $(\log_2 \frac{x}{y})^2$ ?

- (A)  $\frac{25}{2}$
- (B) 20
- (C)  $\frac{45}{2}$
- (D) 25
- (E) 32

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 13**

Not yet answered

Points out of 6

How many ways are there to paint each of the integers  $2, 3, \dots, 9$  either red, green, or blue so that each number has a different color from each of its proper divisors?

- (A) 144
- (B) 216
- (C) 256
- (D) 384
- (E) 432

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 14**

Not yet answered

Points out of 6

For a certain complex number  $c$ , the polynomial

$$P(x) = (x^2 - 2x + 2)(x^2 - cx + 4)(x^2 - 4x + 8)$$

has exactly 4 distinct roots. What is  $|c|$ ?

- (A) 2
- (B)  $\sqrt{6}$
- (C)  $2\sqrt{2}$
- (D) 3
- (E)  $\sqrt{10}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 15**

Not yet answered

Points out of 6

Positive real numbers  $a$  and  $b$  have the property that

$$\sqrt{\log a} + \sqrt{\log b} + \log \sqrt{a} + \log \sqrt{b} = 100$$

and all four terms on the left are positive integers, where  $\log$  denotes the base 10 logarithm. What is  $ab$ ?

- (A)  $10^{52}$
- (B)  $10^{100}$
- (C)  $10^{144}$
- (D)  $10^{164}$
- (E)  $10^{200}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 16**

Not yet answered

Points out of 6

The numbers  $1, 2, \dots, 9$  are randomly placed into the 9 squares of a  $3 \times 3$  grid. Each square gets one number, and each of the numbers is used once. What is the probability that the sum of the numbers in each row and each column is odd?

- (A)  $\frac{1}{21}$
- (B)  $\frac{1}{14}$
- (C)  $\frac{5}{63}$
- (D)  $\frac{2}{21}$
- (E)  $\frac{1}{7}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 17**

Not yet answered

Points out of 6

Let  $s_k$  denote the sum of the  $k$ th powers of the roots of the polynomial  $x^3 - 5x^2 + 8x - 13$ . In particular,  $s_0 = 3$ ,  $s_1 = 5$ , and  $s_2 = 9$ . Let  $a$ ,  $b$ , and  $c$  be real numbers such that  $s_{k+1} = a s_k + b s_{k-1} + c s_{k-2}$  for  $k = 2, 3, \dots$ . What is  $a + b + c$ ?

- (A)  $-6$
- (B)  $0$
- (C)  $6$
- (D)  $10$
- (E)  $26$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 18**

Not yet answered

Points out of 6

A sphere with center  $O$  has radius 6. A triangle with sides of length 15, 15, and 24 is situated in space so that each of its sides is tangent to the sphere. What is the distance between  $O$  and the plane determined by the triangle?

- (A)  $2\sqrt{3}$
- (B)  $4$
- (C)  $3\sqrt{2}$
- (D)  $2\sqrt{5}$
- (E)  $5$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 19**

Not yet answered

Points out of 6

In  $\triangle ABC$  with integer side lengths,

$$\cos A = \frac{11}{16}, \quad \cos B = \frac{7}{8}, \quad \text{and} \quad \cos C = -\frac{1}{4}.$$

What is the least possible perimeter for  $\triangle ABC$ ?

- (A) 9
- (B) 12
- (C) 23
- (D) 27
- (E) 44

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 20**

Not yet answered

Points out of 6

Real numbers between 0 and 1, inclusive, are chosen in the following manner. A fair coin is flipped. If it lands heads, then it is flipped again and the chosen number is 0 if the second flip is heads and 1 if the second flip is tails. On the other hand, if the first coin flip is tails, then the number is chosen uniformly at random from the closed interval  $[0, 1]$ . Two random numbers  $x$  and  $y$  are chosen independently in this manner. What is the probability that

$$|x - y| > \frac{1}{2}?$$

(A)  $\frac{1}{3}$

(B)  $\frac{7}{16}$

(C)  $\frac{1}{2}$

(D)  $\frac{9}{16}$

(E)  $\frac{2}{3}$

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 21**

Not yet answered

Points out of 6

Let

$$z = \frac{1+i}{\sqrt{2}}.$$

What is

$$(z^{1^2} + z^{2^2} + z^{3^2} + \dots + z^{12^2}) \cdot \left( \frac{1}{z^{1^2}} + \frac{1}{z^{2^2}} + \frac{1}{z^{3^2}} + \dots + \frac{1}{z^{12^2}} \right)?$$

**(A)** 18**(B)**  $71 - 36\sqrt{2}$ **(C)** 36**(D)** 72**(E)**  $72 + 36\sqrt{2}$ 

Select one:

 **A** **B** **C** **D** **E** **Leave blank (1.5 points)**

**Question 22**

Not yet answered

Points out of 6

Circles  $\omega$  and  $\gamma$ , both centered at  $O$ , have radii 20 and 17, respectively. Equilateral triangle  $ABC$ , whose interior lies in the interior of  $\omega$  but in the exterior of  $\gamma$ , has vertex  $A$  on  $\omega$ , and the line containing side  $\overline{BC}$  is tangent to  $\gamma$ . Segments  $\overline{AO}$  and  $\overline{BC}$  intersect at  $P$ , and  $\frac{BP}{CP} = 3$ . Then  $AB$  can be written in the form  $\frac{m}{\sqrt{n}} - \frac{p}{\sqrt{q}}$  for positive integers  $m, n, p, q$  with  $\gcd(m, n) = \gcd(p, q) = 1$ . What is  $m + n + p + q$ ?

- (A) 42
- (B) 86
- (C) 92
- (D) 114
- (E) 130

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)



**Question 23**

Not yet answered

Points out of 6

Define binary operations  $\diamond$  and  $\heartsuit$  by

$$a \diamond b = a^{\log_7(b)} \quad \text{and} \quad a \heartsuit b = a^{\frac{1}{\log_7(b)}}$$

for all real numbers  $a$  and  $b$  for which these expressions are defined. The sequence  $(a_n)$  is defined recursively by  $a_3 = 3 \heartsuit 2$  and

$$a_n = (n \heartsuit (n - 1)) \diamond a_{n-1}$$

for all integers  $n \geq 4$ . To the nearest integer, what is  $\log_7(a_{2019})$ ?

- (A) 8
- (B) 9
- (C) 10
- (D) 11
- (E) 12

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 24**

Not yet answered

Points out of 6

For how many integers  $n$  between 1 and 50, inclusive, is

$$\frac{(n^2 - 1)!}{(n!)^n}$$

an integer? (Recall that  $0! = 1$ .)

- (A) 31
- (B) 32
- (C) 33
- (D) 34
- (E) 35

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)

**Question 25**

Not yet answered

Points out of 6

Let  $\triangle A_0 B_0 C_0$  be a triangle whose angle measures are exactly  $59.999^\circ$ ,  $60^\circ$ , and  $60.001^\circ$ . For each positive integer  $n$  define  $A_n$  to be the foot of the altitude from  $A_{n-1}$  to line  $B_{n-1} C_{n-1}$ . Likewise, define  $B_n$  to be the foot of the altitude from  $B_{n-1}$  to line  $A_{n-1} C_{n-1}$ , and  $C_n$  to be the foot of the altitude from  $C_{n-1}$  to line  $A_{n-1} B_{n-1}$ . What is the least positive integer  $n$  for which  $\triangle A_n B_n C_n$  is obtuse?

- (A) 10
- (B) 11
- (C) 13
- (D) 14
- (E) 15

Select one:

- A
- B
- C
- D
- E
- Leave blank (1.5 points)