

# 2015 AMC 8

For more practice and resources, visit ziml.areteem.org

The problems in the AMC-Series Contests are copyrighted by American Mathematics Competitions at Mathematical Association of America (www.maa.org).



Not yet answered

Points out of 1

How many square yards of carpet are required to cover a rectangular floor that is 12 feet long and 9 feet wide? (There are 3 feet in a yard.)

- **(A)** 12
- **(B)** 36
- **(C)** 108
- **(D)** 324
- **(E)** 972

Select one:


- A
- B
- C
- D
- E

## Question 2

Not yet answered

Points out of 1

Point O is the center of the regular octagon ABCDEFGH, and X is the midpoint of the side AB.



What fraction of the area of the octagon is shaded?

- (A)  $\frac{11}{32}$  (B)  $\frac{3}{8}$  (C)  $\frac{13}{32}$  (D)  $\frac{7}{16}$  (E)  $\frac{15}{32}$

- A
- B
- C
- D
- E

Question 3  Not yet answered  Points out of 1	home simu hour. Jack	ultaneously. walks to the k does Jill a	Jill rides here pool at a carrive?	bicycle to the	is one mile from their have pool at a constant spend of $4$ miles per hour. However, $({f E})~10$	ed of $10$ miles per	
	<ul><li>D</li><li>E</li></ul>						
Question 4  Not yet answered  Points out of 1	The Centerville Middle School chess team consists of two boys and three girls. A photographer wants to take a picture of the team to appear in the local newspaper. She decides to have them sit in a row with a boy at each end and the three girls in the middle How many such arrangements are possible?						
	(A) 2  Select one      A     B     C     D     E	` ,	(C) 5	(D) 6	(E) 12		

Not yet answered

Points out of 1

Billy's basketball team scored the following points over the course of the first 11 games of the season:

If his team scores 40 in the 12th game, which of the following statistics will show an increase?

- (A) range
- (B) median
- $(\mathbf{C})$  mean
- $(\mathbf{D})$  mode
- (E) mid-range

Select one:

- A
- B
- C
- D
- $\bigcirc$  E

## Question 6

Not yet answered

Points out of 1

In  $\triangle$  ABC, AB=BC=29, and AC=42. What is the area of  $\triangle$  ABC?

- **(A)** 100
- **(B)** 420 **(C)** 500 **(D)** 609
- **(E)** 701

Select one:

- A
- B
- C
- E

## Question 7

Not yet answered

Points out of 1

Each of two boxes contains three chips numbered 1, 2, 3. A chip is drawn randomly from each box and the numbers on the two chips are multiplied. What is the probability that their product is even?

- (A)  $\frac{1}{9}$  (B)  $\frac{2}{9}$  (C)  $\frac{4}{9}$  (D)  $\frac{1}{2}$  (E)  $\frac{5}{9}$

- A
- B

- E

Question 8  Not yet answered	What is the smallest whole number larger than the perimeter of any triangle with a side of length $5$ and a side of length $19$ ?						
Points out of 1	(A) 24	<b>(B)</b> 29	(C) 43	<b>(D)</b> 48	<b>(E)</b> 57		
	Select one:  A B C D E						
Question 9  Not yet answered  Points out of 1	day three, sh	ne sold five w d sold on the days?	idgets, and on	each succee	day two, she sold three widgets. On ding day, she sold two more widgets dgets in total had Janabel sold after  (E) 401		
Question 10  Not yet answered  Points out of 1	How many in (A) 3024  Select one:  A B C D E	( <b>B</b> ) 453			ur distinct digits? $6480$ ( $\mathbf{E}$ ) $6561$		

Not yet answered

Points out of 1

In the small country of Mathland, all automobile license plates have four symbols. The first must be a vowel (A, E, I, O, or U), the second and third must be two different letters among the 21 non-vowels, and the fourth must be a digit (0 through 9). If the symbols are chosen at random subject to these conditions, what is the probability that the plate will read "AMC8"?

- (A)  $\frac{1}{22,050}$  (B)  $\frac{1}{21,000}$  (C)  $\frac{1}{10,500}$  (D)  $\frac{1}{2,100}$  (E)  $\frac{1}{1,050}$

Select one:

- A


- D
- E

## Question 12

Not yet answered

Points out of 1

How many pairs of parallel edges, such as AB and GH or  $\overline{EH}$  and FG, does a cube have?



- **(A)** 6 **(B)** 12 **(C)** 18 **(D)** 24

- **(E)** 36

- A

- D
- E

Question 13  Not yet answered  Points out of 1	How many subsets of two elements can be removed from the set $\{1,2,3,4,5,6,7,8,9,10,11\}$ so that the mean (average) of the remaining numbers is 6?  (A) 1 (B) 2 (C) 3 (D) 5 (E) 6  Select one:  A B C D E
Question 14  Not yet answered  Points out of 1	Which of the following integers cannot be written as the sum of four consecutive odd integers?  (A) 16 (B) 40 (C) 72 (D) 100 (E) 200  Select one:  A B C D E
Question 15  Not yet answered  Points out of 1	At Euler Middle School, 198 students voted on two issues in a school referendum with the following results: 149 voted in favor of the first issue and 119 voted in favor of the second issue. If there were exactly 29 students who voted against both issues, how many students voted in favor of both issues?  (A) 49 (B) 70 (C) 79 (D) 99 (E) 149  Select one:  A B C D E

Not yet answered

Points out of 1

In a middle-school mentoring program, a number of the sixth graders are paired with a ninth-grade student as a buddy. No ninth grader is assigned more than one sixth-grade buddy. If  $\frac{1}{3}$  of all the ninth graders are paired with  $\frac{2}{5}$  of all the sixth graders, what fraction of the total number of sixth and ninth graders have a buddy?

- (A)  $\frac{2}{15}$  (B)  $\frac{4}{11}$  (C)  $\frac{11}{30}$  (D)  $\frac{3}{8}$  (E)  $\frac{11}{15}$

Select one:

- A
- B
- C
- D
- E

#### Question 17

Not yet answered

Points out of 1

Jeremy's father drives him to school in rush hour traffic in 20 minutes. One day there is no traffic, so his father can drive him 18 miles per hour faster and gets him to school in 12 minutes. How far in miles is it to school?

- (A) 4
- **(B)** 6
- $(C) 8 \qquad (D) 9$
- **(E)** 12

- A

- E

Not yet answered

Points out of 1

An arithmetic sequence is a sequence in which each term after the first is obtained by adding a constant to the previous term. For example, 2,5,8,11,14 is an arithmetic sequence with five terms, in which the first term is 2 and the constant added is 3. Each row and each column in this  $5\times 5$  array is an arithmetic sequence with five terms.

1		25
	X	
17		81

What is the value of X?


- **(A)** 21
- **(B)** 31
- **(C)** 36
- **(D)** 40
- **(E)** 42

- A
- B
- C
- D
- $\bigcirc$  E

Not yet answered

Points out of 1

A triangle with vertices as A=(1,3), B=(5,1), and C=(4,4) is plotted on a  $6\times 5$ grid.



What fraction of the grid is covered by the triangle?

- (A)  $\frac{1}{6}$
- (B)  $\frac{1}{5}$  (C)  $\frac{1}{4}$  (D)  $\frac{1}{3}$  (E)  $\frac{1}{2}$

Select one:

- A

- E

# Question 20

Not yet answered

Points out of 1

Ralph went to the store and bought 12 pairs of socks for a total of \$24. Some of the socks he bought cost \$1 a pair, some of the socks he bought cost \$3 a pair, and some of the socks he bought cost \$4 a pair. If he bought at least one pair of each type, how many pairs of \$1 socks did Ralph buy?

- **(A)** 4
- **(B)** 5 **(C)** 6 **(D)** 7
- **(E)** 8


- A

- E

Not yet answered

Points out of 1

In the given figure hexagon ABCDEF is equiangular, ABJI and FEHG are squares with areas 18 and 32 respectively,  $\triangle JBK$  is equilateral and FE=BC.



What is the area of  $\triangle KBC$ ?

- (A)  $6\sqrt{2}$  (B) 9 (C) 12 (D)  $9\sqrt{2}$  (E) 32.

Select one:

- A
- B
- C
- D
- E

# Question 22

Not yet answered

Points out of 1

On June 1, a group of students is standing in rows, with 15 students in each row. On June 2, the same group is standing with all of the students in one long row. On June 3, the same group is standing with just one student in each row. On June 4, the same group is standing with 6 students in each row. This process continues through June 12 with a different number of students per row each day. However, on June 13, they cannot find a new way of organizing the students. What is the smallest possible number of students in the group?

- (A) 21
- **(B)** 30
- (C) 60
- **(D)** 90
- **(E)** 1080

- A
- B

- E

Not yet answered

Points out of 1

Tom has twelve slips of paper which he wants to put into five cups labeled A, B, C, D, E. He wants the sum of the numbers on the slips in each cup to be an integer. Furthermore, he wants the five integers to be consecutive and increasing from A to E. The numbers on the papers are 2, 2, 2, 2.5, 2.5, 3, 3, 3, 3, 3.5, 4, and 4.5. If a slip with 2 goes into cup E and a slip with 3 goes into cup E, then the slip with 3.5 must go into what cup?

- **(A)** A
- **(B)** *B*
- (C) C
- **(D)** *D*
- $(\mathbf{E}) E$

Select one:

- A
- B
- C
- D
- E

#### Question 24

Not yet answered

Points out of 1

A baseball league consists of two four-team divisions. Each team plays every other team in its division N games. Each team plays every team in the other division M games with N>2M and M>4. Each team plays a 76 game schedule. How many games does a team play within its own division?


- (A) 36
- **(B)** 48
- (C) 54
- **(D)** 60
- **(E)** 72

- A
- B
- C
- D
- E

Not yet answered

Points out of 1

One-inch squares are cut from the corners of this 5 inch square.



What is the area in square inches of the largest square that can be fitted into the remaining space?

- **(A)** 9

- **(B)**  $12\frac{1}{2}$  **(C)** 15 **(D)**  $15\frac{1}{2}$  **(E)** 17

- A
- B

- E