

2025 AMC 8

Try this exam as a timed Mock Exam on the ZIML Practice Page (click here)

View answers and concepts tested in our 2025 AMC 8 blog post (click here)


The problems in the AMC-Series Contests are copyrighted by American Mathematics Competitions at Mathematical Association of America (www.maa.org).



Not yet answered

Points out of 6

The eight-pointed star, shown in the figure below, is a popular quilting pattern. What percent of the entire 4×4 grid is covered by the star?




- **(A)** 40
- **(B)** 50
- **(C)** 60
- **(D)** 75
- **(E)** 80

- \bigcirc A
- \bigcirc B
- \circ c
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

The table below shows the ancient Egyptian hieroglyphs that were used to represent different numbers.



For example, the number 32 was represented by the hieroglyphs $\bigcap\bigcap\bigcap$

What number is represented by the following combination of hieroglyphs?



- **(A)** 1, 423
- **(B)** 10, 423
- (C) 14,023
 - **(D)** 14, 203
- (E) 14,230

Select one:

- \bigcirc A
- \bigcirc B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Question 3

Not yet answered

Points out of 6

Buffalo Shuffle-o is a card game in which all the cards are distributed evenly among all players at the start of the game. When Annika and 3 of her friends play Buffalo Shuffle-o, each player is dealt 15 cards. Suppose 2 more friends join the next game. How many cards will be dealt to each player?

- (A) 8
- **(B)** 9
- **(C)** 10
- **(D)** 11
- **(E)** 12

- \bigcirc A
- \bigcirc B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

Lucius is counting backward by 7s. His first three numbers are 100, 93, and 86. What is his 10th number?

(A) 30

(B) 37

(C) 42

(D) 44

(E) 47

Select one:

 \bigcirc A

○ B

 \bigcirc C

 \bigcirc D


 \bigcirc E

Question 5

Not yet answered

Points out of 6

Betty drives a truck to deliver packages in a neighborhood whose street map is shown below. Betty starts at the factory (labled F) and drives to location A, then B, then C, before returning to F. What is the shortest distance, in blocks, she can drive to complete the route?



(A) 20

(B) 22

(C) 24

(D) 26

(E) 28

Select one:

 \bigcirc A

○ B

 \bigcirc C

 \bigcirc D

 \bigcirc E

Question 6		Sekou writes the numbers 15 , 16 , 17 , 18 , 19 . After he erases one of his numbers, the sum of the remaining four numbers is a multiple of 4 . Which number did he erase?					
Not yet answered Points out of 6		_		-			
	(A) 15 Select one	(B) 16	(C) 17	(D) 18	(E) 19		
Question 7	On the mo	st recent exa	m on Prof. X	ochi's class.			
Not yet answered	• 5 students earned a score of at least 95% ,						
Points out of 6	19 - 4 - 4 4 + 0.007						
Tomic out of o							
	Select one:						
	\bigcirc A						
	○ B						
	\circ c						
	\bigcirc D						
	○ E						


Question $\bf 6$

Not yet answered

Points out of 6

Isaiah cuts open a cardboard cube along some of its edges to form the flat shape shown on the right, which has an area of 18 square centimeters. What is the volume of the cube in cubic centimeters?





- **(A)** $3\sqrt{3}$
- **(B)** 6
- **(C)** 9
- **(D)** $6\sqrt{3}$
- **(E)** $9\sqrt{3}$

Select one:


- \cap A
- B
- \bigcirc C
- \bigcirc D
- E

Question $\bf 9$

Not yet answered

Points out of 6

Ningli looks at the 6 pairs of numbers directly across from each other on a clock. She takes the average of each pair of numbers. What is the average of the resulting 6 numbers?




- **(A)** 5
- **(B)** 6.5
- **(C)** 8
- **(D)** 9.5
- **(E)** 12

- \bigcirc A
- \bigcirc B
- \bigcirc C
- \bigcirc D
- E

Not yet answered

Points out of 6

In the figure below, ABCD is a rectangle with sides of length AB=5 inches and AD = 3 inches. Rectangle ABCD is rotated 90° clockwise around the midpoint of side DC to give a second rectangle. What is the total area, in square inches, covered by the two overlapping rectangles?




- **(A)** 21
- **(B)** 22.25
- **(C)** 23
- **(D)** 23.75
- **(E)** 25

- \bigcirc A
- \bigcirc B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

A *tetromino* consists of four squares connected along their edges. There are five possible tetromino shapes, I, O, L, T, and S, shown below, which can be rotated or flipped over. Three tetrominoes are used to completely cover a 3×4 rectangle. At least one of the tiles is an S tile. What are the other two tiles?




- ${f (A)}\ I$ and L
- $(\mathbf{B})~I$ and T
- $(\mathbf{C})~L$ and L
- $(\mathbf{D})~L$ and S
 - $(\mathbf{E})~O$ and T

- \bigcirc A
- \bigcirc B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

The region shown below consists of 24 squares, each with side length 1 centimeter. What is the area, in square centimeters, of the largest circle that can fit inside the region, possibly touching the boundaries?



- (A) 3π
- (B) 4π
- (C) 5π
- (D) 6π
- (E) 8π


- \bigcirc A
- \bigcirc B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered


Points out of 6

Each of the even numbers $2,4,6,\ldots,50$ is divided by 7. The remainders are recorded. Which histogram displays the number of times each remainder occurs?


(A)




(B)




(C)



(D)



(E)



Select one:

- \bigcirc A
- B
- C
- O D
- **E**

Question 14

Not yet answered

Points out of 6

A number N is inserted into the list $2,\,6,\,7,\,7,\,28$. The mean is now twice as great as the median. What is N?


- (\mathbf{A}) 7
- **(B)** 14
- **(C)** 20
- **(D)** 28
- **(E)** 34

- \bigcirc A
- B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

Kei draws a 6-by-6 grid. He colors 13 of the unit squares silver and the remaining squares gold. Kei then folds the grid in half vertically, forming pairs of overlapping unit squares. Let m and M equal equal the least and greatest possible number of gold-on-gold pairs, respectively. What is the value of m+M?



- **(A)** 12
- **(B)** 14
- **(C)** 16
- **(D)** 18
- **(E)** 20

Select one:

- \bigcirc A
- B
- C
- \bigcirc D
- E

Question 16

Not yet answered

Points out of 6

Five distinct integers from 1 to 10 are chosen, and five distinct integers from 11 to 20 are chosen. No two numbers differ by exactly 10. What is the sum of the ten chosen numbers?


- **(A)** 95
- **(B)** 100
- **(C)** 105
- **(D)** 110
- **(E)** 115

- A
- B
- \bigcirc C
- \bigcirc D
- **E**

Not yet answered

Points out of 6

In the land of Markovia, there are three cities: A, B, and C. There are 100 people who live in A, 120 who live in B, and 160 who live in C. Everyone works in one of the three cities, and a person may work in the same city where they live. In the figure below, an arrow pointing from one city to another is labeled with the fraction of people living in the first city who work in the second city. (For example, $\frac{1}{4}$ of the people who live in A work in B.) How many people work in A?




- **(A)** 55
- **(B)** 60
- **(C)** 85
- **(D)** 115
- **(E)** 160


- \bigcirc A
- B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

The circle shown below on the left has a radius of 1 unit. The region between the circle and the inscribed square is shaded. In the circle shown on the right, one quarter of the region between the circle and the inscribed square is shaded. The shaded regions in the two circles have the same area. What is the radius R, in units, of the circle on the right?





- (A) $\sqrt{2}$
- **(B)** 2
- **(C)** $2\sqrt{2}$
- **(D)** 4
- **(E)** $4\sqrt{2}$

Select one:


- A
- B
- \bigcirc C
- \bigcirc D
- E

Question 19

Not yet answered

Points out of 6

Two towns, A and B, are connected by a straight road, 15 miles long. Traveling from town A to town B, the speed limit changes every 5 miles: from 25 to 40 to 20 miles per hour (mph). Two cars, one at town A and one at town B, start moving toward each other at the same time. They drive at exactly the speed limit in each portion of the road. How far from town A, in miles, will the two cars meet?



- **(A)** 7.75
- **(B)** 8
- (C) 8.25
- **(D)** 8.5
- (E) 8.75

- \bigcirc A
- B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

Sarika, Dev, and Rajiv are sharing a large block of cheese. They take turns cutting off half of what remains and eating it: first Sarika eats half of the cheese, then Dev eats half of the remaining half, then Rajiv eats half of what remains, then back to Sarika, and so on. They stop when the cheese is too small to see. About what fraction of the original block of cheese does Sarika eat in total?

- $(\mathbf{A}) \; \frac{4}{7}$
- **(B)** $\frac{3}{5}$ **(C)** $\frac{2}{3}$ **(D)** $\frac{3}{4}$ **(E)** $\frac{7}{8}$

Select one:


- \bigcirc A
- \bigcirc B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Question 21

Not yet answered

Points out of 6

The Konigsberg School has assigned grades 1 through 7 to pods A through G, one grade per pod. Some of the pods are connected by walkways, as shown in the figure below. The school noticed that each pair of connected pods has been assigned grades differing by 2 or more grade levels. (For example, grades 1 and 2 will not be in pods directly connected by a walkway.) What is the sum of the grade levels assigned to pods C, E, and F?




- **(A)** 12
- **(B)** 13
- (C) 14
- **(D)** 15
- **(E)** 16

- \bigcirc E

Not yet answered

Points out of 6

A classroom has a row of 35 coat hooks. Paulina likes coats to be equally spaced, so that there is the same number of empty hooks before the first coat, after the last coat, and between every coat and the next one. Suppose there is at least 1 coat and at least 1 empty hook. How many different numbers of coats can satisfy Paulina's pattern?



- **(A)** 2
- **(B)** 4
- **(C)** 5
- **(D)** 7
- **(E)** 9

Select one:

- \bigcirc A
- B
- \bigcirc C
- \bigcirc D
- E

Question 23

Not yet answered

Points out of 6

How many four-digit numbers have all three of the following properties?


- I. The tens and ones digit are both 9.
- II. The number is 1 less than a perfect square.
- III. The number is the product of exactly two prime numbers.
- **(A)** 0
- **(B)** 1
- **(C)** 2
- **(D)** 3
- **(E)** 4

- \bigcirc A
- B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

In trapezoid ABCD, angles B and C measure 60° and AB=DC. The side lengths are all positive integers, and the perimeter of ABCD is 30 units. How many non-congruent trapezoids satisfy all of these conditions?



(A) 0

(B) 1

(C) 2

(D) 3


(E) 4


- \bigcirc A
- B
- \bigcirc C
- \bigcirc D
- \bigcirc E

Not yet answered

Points out of 6

Makayla finds all the possible ways to draw a path in a 5×5 diamond-shaped grid. Each path starts at the bottom of the grid and ends at the top, always moving one unit northeast or northwest. She computes the area of the region between each path and the right side of the grid. Two examples are shown in the figures below. What is the sum of the areas determined by all possible paths?





(A) 2520

(B) 3150

(C) 3840

(D) 4730

(E) 5050

- \bigcirc A
- B
- \bigcirc C
- D
- \bigcirc E